

# RIMEC

## **Technical features of Fisiotek LT – P for wrist's passive rehabilitation**



### **Movements carried out:**

- Flexion-extension range :  $80^{\circ} \div 0 \div 80^{\circ}$
- Ulnar-radial deviation range :  $20^{\circ} \div 0^{\circ} \div 30^{\circ}$

### **Programmable functions:**

- Speed
- Range of movement: adjustment by electromechanical limit switch.

### **Technical specifications:**

- Input: 12V DC 50/60Hz - 4.8W
- Electric safety: Class II B Standard EN 60601-1
- Electromagnetic compatibility: Group 1 Class B Standard EN 60601-1-2
- Classification according to EEC Directive 93/42: Class IIa
- Weight: 47 kg

### **External power supply:**

- Input: 100 ÷ 240 V AC - 50 ÷ 60 Hz. 400mA
- Output: 12V DC - 1.25A

The instrument is compliant with the applicable Basic Requirements for safety, Health and protection established by EEC Directive 93/42.

**Rimec srl**  
Loc.Braine 57/a  
40036 Rioveggio Bologna Italy  
☎ ++39-051-6777798  
fax ++39-051-6777357  
✉ e-mail [rimec@rimec.it](mailto:rimec@rimec.it)  
Web: [www.rimec.it](http://www.rimec.it)